

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/799,055	03/12/2004	Ernst Staas	P-US-PR 1103	6737
759	01/24/2005		EXAMINER	
Michael P. Leary			JOYCE, HAROLD	
	Black & Decker Corporation Mail Stop TW199		ART UNIT	PAPER NUMBER
701 E. Joppa Rd			3749	
Towson, MD 21286			DATE MAILED: 01/24/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	,	•	
	Application No.	Applicant(s)	
Supplemental			
Notice of Allowability	10/799,055 Examiner	STAAS ET AL. Art Unit	
·		0740	
	Harold Joyce	3749	
The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	IS (OR REMAINS) CLOSED in 35) or other appropriate common RIGHTS. This application is s	n this application. If not inclu unication will be mailed in du	ided le course. THIS
1. This communication is responsive to			
2. The allowed claim(s) is/are <u>1 and 3-15</u> .		•	
3. The drawings filed on are accepted by the Exami	iner.		
4. ☐ Acknowledgment is made of a claim for foreign priority a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents had 2. ☐ Certified copies of the priority documents had 3. ☐ Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be surinformal PATENT APPLICATION (PTO-152) which of the complete of the priority documents have surinformal patents. 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") in (a) ☐ including changes required by the Notice of Draftsput (b) ☐ including changes required by the attached Examination.	ave been received. ave been received in Application documents have been received. E" of this communication to file NMENT of this application. bmitted. Note the attached EX gives reason(s) why the oath on the nust be submitted. Derson's Patent Drawing Review.	on No Id in this national stage applicate a reply complying with the reply complying with the reply complying with the replacement of the complex o	requirements
Paper No./Mail Date Identifying indicia such as the application number (see 37 CF) each sheet. Replacement sheet(s) should be labeled as such	R 1.84(c)) should be written on t	he drawings in the front (not t	he back) of
DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMENT	posit of BIOLOGICAL MAT	ERIAL must be submitted	. Note the
•			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Ir	formal Patent Application (P	'TO-152)
Notice of Draftperson's Patent Drawing Review (PTO-94)	8) 6. 🗌 Interview S	ummary (PTO-413),	,
3. Information Disclosure Statements (PTO-1449 or PTO/S		/Mail Date Amendment/Comment	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Depos	sit 8. ☐ Examiner's	Statement of Reasons for A	llowance

of Biological Material

9. Other ____.

Art Unit: 3749

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with applicant's representative, Michael Leary on January 20, 2005.

The application has been amended as follows:

In the claims filed March 12, 2004, between claims 1 and 2, the extraneous matter, "[0039] 2 and 3 ... first outlet." has been deleted.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Harold Joyce whose telephone number is (571)272-4876. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ira Lazarus can be reached on (571)272-4877. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

出神에 Joyce Primary Examiner Art Unit 3749